

Date	Ву	Revisions

- 1) Demolish entire building and dispose of the debris.
- 2) Cap existing sewer service and note location on plan.
- 3) Break up or punch holes in the foundation slab sufficiently so as not to retain water.
- 4) Collapse all foundation walls.
- 5) Remove and dispose of all asphalt and/or concrete driveway slabs, curbing and walks.
- 6) Place and compact clean fill to match existing/proposed grade.
- Loam and seed all disturbed and unvegetated areas.

CITY OF	AUBURN
325 TURNE	R STREET
Existing &	Proposed
By: Gary Johnson	Scale: 1" = 20"
Date:August 23, 2013	Sheet



Date	Ву	Revisions

- Demolish entire building and dispose of the debris.
- 2) Cap existing sewer service and note location on plan.
- Break up or punch holes in the foundation slab sufficiently so as not to retain water.
- 4) Collapse all foundation walls.
- Remove and dispose of all asphalt and/or concrete driveway slabs, curbing and walks.
- 6) Place and compact clean fill to match existing/proposed grade.
- 7) Loam and seed all disturbed and unvegetated areas.

8)

CITY OF	AUBURN
61 WEBSTE	R STREET
Existing &	Proposed
By: Gary Johnson	Scale: 1" = 20"
Dote:August 23, 2013	Sheet



Date	Ву	Revisions

- 1) Demolish entire building and dispose of the debris.
- 2) Cap existing sewer service and note location on plan.
- Break up or punch holes in the foundation slab sufficiently so as not to retain water.
- 4) Collapse all foundation walls.
- Remove and dispose of all asphalt and/or concrete driveway slabs, curbing and walks.
- 6) Place and compact clean fill to match existing/proposed grade.
- 7) Loam and seed all disturbed and unvegetated areas.


CITY OF	AUBURN	
6 SECONI	STREET	
Existing &	Proposed	
By: Gary Johnson	Scale: 1" = 20"	
Date:August 23, 2013	Sheet 3	



Date By Revisions		Revisions

- Demolish entire building and dispose of the debris.
- Cap existing sewer service and note location on plan.
- Break up or punch holes in the foundation slab sufficiently so as not to retain water.
- 4) Collapse all foundation walls.
- 5) Remove and dispose of all asphalt and/or concrete driveway slabs, curbing and walks.
- Place and compact clean fill to match existing/proposed grade.
- 7) Loam and seed all disturbed and unvegetated areas.

CITY	OF	AUBI	JRN
9 B	ROAD	STRE	ΕT
Exist	ing &	Prop	osed
By: Gary Jo	hnson	Scale: 1" = 20"	
Date:August 23, 2013			Sheet 4



Date	Ву	Revisions
	Date	Date By

- 1) Demolish entire building and dispose of the debris.
- Cap existing sewer service and note location on plan.
- Break up or punch holes in the foundation slab sufficiently so as not to retain water.
- 4) Collapse all foundation walls.
- 5) Remove and dispose of all asphalt and/or concrete driveway slabs, curbing and walks.
- 6) Place and compact clean fill to match existing/proposed grade.
- See next pages regarding parking lot construction.

CITY OF AUBURN

143 HAMPSHIRE STREET

Existing & Proposed

By: Gary Johnson Scale: 1' = 40'

Date:August 23, 2013 Sheet
5

